

Volunteer Canola Control: Herbicide Timing and Soybean Staging											
POST-EMERGENT HERBICIDE FOR VOLUNTEER CANOLA CONTROL		Page in Guide to Field Crop Protection	Herbicide Group	VE	VC	V1	V2	V3	V4 to Vn	R1	R2
Active Ingredient(s)	Trade name(s)			Cotyledons emerged	Unrolled unifoliate leaves	First unrolled trifoliolate	Second unrolled trifoliolate	Third unrolled trifoliolate	Fourth unrolled trifoliolate, etc.	Beginning bloom	Full bloom
				10	20	25	30	35	40	45	50
Bentazon	Basagran, Boa, Berserk, Benta Super, Broadloom	138	6								
Quizalofop + Bentazon	Boa IQ	146	1,6								Pre-harvest interval of 80 days.
Fomesafen + Glyphosate	Flexstar GT	239	9,14								For use in the RRV only, on glyphosate-tolerant soybeans.
Glufosinate 200 SN	Liberty 200 SN, Vigor 200 SN	271	10								For use in liberty-tolerant soybeans. Will not control LibertyLink canola.
Imazamox	Solo ADV, Davai 80 SL	297	2								Will not control Clearfield varieties.
Imazamox + Bentazon	Viper ADV, Python, Boa Pro, Benz	300	2,6								
Imazamox + Imazethapyr	Odyssey NXT, Duet, Quasar	302	2								Will not control Clearfield canola.
Imazethapyr	Pursuit, Phantom	306	2								Will not control Clearfield canola.
Quizalofop + Imazamox + Imazethapyr	Odyssey Ultra Q	355	1,2								Will not control Clearfield canola.
Fomesafen + Bentazon	Reflex + Basagran	396	6,14								For use in the RRV only.
Quizalofop + Imazamox	Solo Ultra Q	305	1,2								Will not control Clearfield canola.
Glyphosate + 2,4-D choline	Enlist Duo	215	4,9								For use in Enlist soybeans only.
Glyphosate	Roundup, etc	273	9								For use in glyphosate-tolerant soybeans only. Will not control glyphosate-tolerant canola.
Glyphosate + Dicamba	Roundup Xtend	412	4,9								For use in RR Xtend soybeans only. Will not control glyphosate-tolerant canola.